

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application.

### **LISTING OF CLAIMS**

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Original) An apparatus for depicting contour lines on the surface of a model; the apparatus comprising a generally horizontal work surface for supporting a model, at least one vertical sidewall at least partially surrounding the work surface, a reflector on at least a portion of the side wall; and at least one laser source for projecting a fan-shaped beam across the horizontal work surface to the reflector.
6. (Original) The apparatus according to claim 5 wherein there are a plurality of laser sources at different heights relative to the work surface.
7. (Original) The apparatus according to claim 6 wherein the fan shaped beams of each of the laser sources are equally vertically spaced.
8. (Original) The apparatus according to claim 6 wherein the color of adjacent fan shaped beams are different.
9. (Original) An apparatus for depicting contour lines on the surface of a model, the apparatus comprising: a generally horizontal work surface for supporting the model; at least one vertical sidewall at least partially surrounding the work surface, and means for generating a plurality of planes of laser light across the generally horizontal work surface which illuminate contour lines on a model on the work surface.
10. (Original) The apparatus according to claim 9 wherein color of adjacent planes of laser light are different.

11. (Original) The apparatus according to claim 9 wherein the planes of laser light are equally spaced.

12. (Original) The apparatus according to claim 9 wherein the means for generating a plurality of planes of laser light comprise at least one laser source, and reflectors on at least a portion of the vertical sidewall.

13. (Currently Amended) An apparatus for depicting contour lines on the surface of a model, the apparatus comprising a bottom, a plurality of sidewalls surrounding the bottom, at least one interior wall inside the sidewalls defining a ~~modeling area workspace and a non-modeling area at least one other space~~; at least one window in the interior wall, and at least one laser source in ~~the non-modeling area one of the at least one other space~~ of the apparatus adapted to project a generally fan-shaped laser beam through the at least one window in the interior wall and across the ~~modeling area workspace~~.

14. (Currently Amended) The apparatus according to claim 13 wherein at least portions of the walls surrounding the ~~modeling area workspace~~ are reflective to reflect the fan-shaped laser beams.

15. (Original) A method of depicting contour lines on surfaces of a model, the method comprising projecting a plurality of planes of light in spaced relation over the surface of a support to illuminate contour lines on objects on the surface that break the planes of light.

16. (Original) The method according to claim 15 wherein the planes of light are generally horizontal.

17. (Original) The method according to claim 16 wherein the planes of light are substantially equally vertically spaced.

18. (Original) The method according to claim 15 wherein the plurality of planes of light are protected horizontally over the surface at different heights.

19. (Original) A method of depicting contour lines on a model on a work surface surrounded by a sidewall, the method comprising projecting a plurality of planes of laser

light horizontally across the work surface, and different levels to illuminate contour lines on the model where the planes impinge the model.

20. (Previously Presented) An apparatus for depicting contour lines on the surface of a model; the apparatus comprising a generally horizontal work surface for supporting a model, at least one vertical sidewall at least partially surrounding the work surface, a reflector on at least a portion of the side wall; and at least one laser source for projecting a fan-shaped beam across the horizontal work surface to the reflector to project contour lines on at least some surfaces of a model on the work surface that do not directly face the laser source.

21. (Previously Presented) The apparatus according to claim 20 wherein there are a plurality of laser sources at different heights relative to the work surface.

22. (Previously Presented) The apparatus according to claim 21 wherein the fan shaped beams of each of the laser sources are equally vertically spaced.

23. (Previously Presented) The apparatus according to claim 21 wherein the color of adjacent fan shaped beams are different.